

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	09/657399	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:06
L2	0	carl near3 billicksa.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:06
L3	0	douglas near3 sisk.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:07
L4	225	douglas near3 (allen sisk).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:07
L5	0	douglas near3 (allen and sisk).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:07
L6	8466	authentica\$4 near2 client	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:09
L7	3142	authentica\$4 near2 client and application near2 server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:09
L8	102	authentica\$4 near2 client and application near2 server and login with request\$4 with (id identifier)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:09
L9	18	authentica\$4 near2 client and application near2 server and login with request\$4 with (id identifier) and server near2 list \$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:10

L10	1	authentica\$4 near2 client and application near2 server and login with request\$4 with (id identifier) and server near2 list \$4 and request\$4 near2 link\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:10
L11	0	(authentica\$4 near2 client and application near2 server and login with request\$4 with (id identifier) and server near2 list \$4 and request\$4 near2 link\$4).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:12
L12	0	09/675399	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:13
L13	18	authentica\$4 with (user and system) and (secur\$4 trusted) with two \$way with (link\$4 communicat\$4) and server with authentica\$4 and (communicat\$4 access\$4) with engine	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:14
L14	79	authentica\$4 with (user and system and server) and (secur\$4 trusted) with two \$way with (link\$4 communicat\$4) and (communicat\$4 access\$4) with (module engine manag\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:14
L15	61	L14 not L13	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:14

L16	1	"707"/\$.ccls. and authenticat\$4 with (user and system) and (secur\$4 trusted) with two \$way with (link\$4 communicat\$4) and server with authenticat\$4 and (communicat\$4 access\$4) with engine	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:22
L17	1	"713"/182.ccls. and ((list listing) near server) near3 access \$4 with (user client) and authenticat\$4 with (user client) with (id identity identification)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:24
L18	1	"713"/183.ccls. and ((list listing) near server) near3 access \$4 with (user client) and authenticat\$4 with (user client) with (id identity identification)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:24
L19	0	"713"/168.ccls. and ((list listing) near server) near3 access \$4 with (user client) and authenticat\$4 with (user client) with (id identity identification)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:25
L20	0	"713"/170.ccls. and ((list listing) near server) near3 access \$4 with (user client) and authenticat\$4 with (user client) with (id identity identification)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:26

L21	1	"713"/155.ccls. and ((list listing) near server) near3 access \$4 with (user client) and authenticat\$4 with (user client) with (id identity identification)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:26
L22	0	"713"/176.ccls. and ((list listing) near server) near3 access \$4 with (user client) and authenticat\$4 with (user client) with (id identity identification)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:27
L23	0	"713"/161.ccls. and ((list listing) near server) near3 access \$4 with (user client) and authenticat\$4 with (user client) with (id identity identification)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:28
L24	5	"713"/161.ccls. and ((list listing) with server) with access\$4 with (user client) and authenticat\$4 with (user client) with (id identity identification)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:28
L25	9	"713"/170.ccls. and ((list listing) with server) with access\$4 with (user client) and authenticat\$4 with (user client) with (id identity identification)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:28
L26	21	"713"/155.ccls. and ((list listing) with server) with access\$4 with (user client) and authenticat\$4 with (user client) with (id identity identification)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:28

L27	0	"713"/155.ccls. and (((list listing) near server) near3 access \$4 with (user client) and authenticat\$4 with (user client) with (id identity identification)).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:37
L28	8	(authenticat\$4 and identif\$4 with (engine routine algorithm) and configur\$4 WITH SESSION).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:38
L29	1	(authenticat\$4 and identif\$4 with (engine routine algorithm) and configur\$4 WITH SESSION and server near2 list\$4).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:38
L30	0	(authenticat\$4 and identif\$4 with (engine routine algorithm) and configur\$4 WITH SESSION and server near2 list\$4 and client with (id identifier)).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 07:38
L31	15	((list listing) near server) near3 access \$4 with (user client) and authenticat\$4 with (user client) with (id identity identification)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 08:06
L32	2139	726/4,10.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 08:06
L33	1	L32 and L31	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/07/22 08:06

7/ 22/ 08 8:06:48 AM

C:\ Documents and Settings\ TMahmoudi\ My Documents\ EAST\ Workspaces\ A27-
Bilicksa.wsp